DRAFT Ecological Subsections of Denali National Park and Preserve, Alaska

Derived from Soil Survey 2002

Mapping and Delineation by:

Mark Clark

Natural Resources Conservation Service

3/18/02



Prepared for

National Park Service
Alaska Region
Inventory and Monitoring Program
2525 Gambell
Anchorage, Alaska 99503

Table of Contents

M135C.M6—Alaska Range Teklanika Alpine Mountains and Plateaus	
M135C.M6L—Alaska Range-Teklanika Boreal Mountains and Plateaus	
M135C.M7—Alaska Range-Toklat Basin Lowlands	
M135C.V1—Alaska Range-Interior Alpine Flood Plains, Terraces and Fans	
M135C.V1L—Alaska Range-Interior Lowland Flood Plains, Terraces and Fans	
M135S.B2—Alaska Range-South Central Nonvegetated Alpine Mountains	
M135S.M5—Alaska Range-South Central Alpine Mountains	_
M135S.M5L—Alaska Range-South Central Boreal and Subalpine Mountains	<u>9</u>
131B.L1—Kuskokwim Plain-Eolian Lowlands	
131B.V1—Kuskokwim Plain-Lowland Flood Plains and Terraces	
131B.V2—Kuskokwim Plain-Minchumina Basin Lowlands	12
213B.G1—Cook Inlet Glaciated Lowlands	13
213B.V1—Cook Inlet-Lowland Flood Plains, Terraces, and Fans	14
M131C.M1A—Kuskokwim Mountains-Alpine Low Mountains	15
M131C.M1—Kuskokwim Mountains-Boreal Low Mountains	16
M135C.B1—Alaska Range-Nonvegetated Alpine Mountains	17
M135C.G1—Alaska Range-Interior Glaciated Uplands	18
M135C.G1L—Alaska Range-Interior Glaciated Lowlands	19
M135C.M1—Alaska Range-Alpine Outer Range and Kantishna Hills	20
M135C.M1L—Alaska Range-Boreal Outer Range and Kantishna Hills	21
M135C.M2L—Alaska Range-Interior Boreal Mountains	22
M135C.M2—Alaska Range-Interior Alpine Mountains	23
Figure 1. Map of Ecological Subsections for Denali National Park and Preserve	24

M135C.M6—Alaska Range Teklanika Alpine Mountains and Plateaus



Climatic Data:

Sub-regional Climate: subarctic continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northeastern

Life zone: interior alpine *Elevation:* 415-1222 m

Landforms: low mountains and plateaus

Vegetation: alpine scrub and alpine dwarf scrub

Parent Materials: Tertiary age Nenana Gravels and Suntrana Sandstone mantled

with a thin layer of loess generally less than 10 cm thick

Geomorphic Processes: permafrost, cryoturbation and braunification

Permafrost Status: discontinuous

Major Soil Taxa: Typic Historthels, Pergelic Eutrocryepts **Detailed Soil Map Units:** 10ES, 10LM, 10P1, 10P2, and 10P4

M135C.M6L—Alaska Range-Teklanika Boreal Mountains and Plateaus



Climatic Data:

Sub-regional Climate: subarctic continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northeastern

Life zone: interior boreal *Elevation:* 333-1009 m

Landforms: low mountains and plateaus

Vegetation: dwarf spruce/ericaceous forest and cottongrass tussock

Parent Materials: Tertiary age Nenana Gravels and loess

Geomorphic Processes: permafrost and colluviation

Permafrost Status: continuous

Major Soil Taxa: Typic Historthels and Typic Histoturbels **Detailed Soil Map Units:** 10ES, 10LM, 10P1, 10P2, and 10P4

M135C.M7—Alaska Range-Toklat Basin Lowlands



Climatic Data:

Sub-regional Climate: subarctic continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northeastern

Life zone: boreal *Elevation:* 441-825 m *Landforms:* alluvial plains

Vegetation: low birch-cottongrass scrub, sedge-sphagnum bog

Parent Materials: Tertiary age Nenana Gravels and loess


Geomorphic Processes: permafrost and cryoturbation

Permafrost Status: continuous with extensive areas of ice wedges

Major Soil Taxa: Typic Histoturbels, Typic Glacistels and Typic Cryofibrists

Detailed Soil Map Units: 10ES, 10LM, 10P1, 10P2, and 10P4

M135C.V1—Alaska Range-Interior Alpine Flood Plains, Terraces and Fans



Climatic Data:

Sub-regional Climate: subarctic continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: east-central, central, and west-central

Life zone: alpine Elevation: 433-1298 m

Landforms: flood plains, terraces, and alluvial fans

Vegetation: alpine low to medium scrub

Parent Materials: holocene alluvium including schist, igneous intrusive rock types

as well as mixed lithology

Geomorphic Processes: fluvial processes on flood plains and braunification and

podzolization on terraces **Permafrost Status:** sporadic


Major Soil Taxa: Pergelic Cryofluvents, Pergelic Oxyaguic Cryorthents, Pergelic

Haplocryods

Detailed Soil Map Units: 7AF, 7AF2, 7FP2, 7FP21, 7FP3, 7G, 7ST, 7STF, 8FP1 and

8ST1

M135C.V1L—Alaska Range-Interior Lowland Flood Plains, Terraces and Fans



Climatic Data:

Sub-regional Climate: subarctic continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: east-central, central, and west-central

Life zone: alpine *Elevation:* 280-1145 m

Landforms: flood plains, terraces, and alluvial fans *Vegetation:* boreal scrub, white spruce/willow forest

Parent Materials: holocene alluvium including schist, igneous intrusive rock types

as well as mixed lithologies

Geomorphic Processes: fluvial processes on flood plains and braunification and

podzolization on terraces

Permafrost Status: sporadic

Major Soil Taxa: Typic Cryofluvents, Oxyaquic Cryorthents, and Typic Cryaquents **Detailed Soil Map Units:** 5V2, 7AFF, 7FP1, 7FP11, 8FP2, 10V2, 11FP, 11G and 11ST

M135S.B2—Alaska Range-South Central Nonvegetated Alpine Mountains



Climatic Data:

Sub-regional Climate: maritime-continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range south of the hydrographic divide

Life zone: alpine *Elevation:* 210-6188

Landforms: mountains and glaciers

Vegetation: non-vegetated

Parent Materials: colluvium of mixed lithology

Geomorphic Processes: colluviation

Permafrost Status: none **Major Soil Taxa:** none

Detailed Soil Map Units: 9NV

M135S.M5—Alaska Range-South Central Alpine Mountains



Climatic Data:

Sub-regional Climate: maritime-continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range-south of the hydrographic divide

Life zone: alpine Elevation: 273-2018 m Landforms: mountains

Vegetation: alpine dwarf scrub, alpine scrub, and alpine herbaceous meadow *Parent Materials:* mixed volcanic ash and colluvium and colluvium from mixed

lithology bedrock

Geomorphic Processes: colluviation and podzolization

Permafrost Status: none

Major Soil Taxa: Pergelic Andic Dystrocryepts, Pergelic Humic Vitricryands, Pergelic

Humicryods,

Detailed Soil Map Units: 9HS1, 9MS2, 9MSA, 9MSH, 9MSH1, 9SA4, 9SA44, 9TM,

9TM3,

9TM4, 9TP, 9TP2, 9V12

M135S.M5L—Alaska Range-South Central Boreal and Subalpine Mountains



Climatic Data:

Sub-regional Climate: maritime-continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range-south of the hydrographic divide

Life zone: boreal and subalpine

Elevation: 63-1408 m *Landforms:* mountains

Vegetation: subalpine alder scrub and boreal mixed paper birch white spruce

forest

Parent Materials: mixed volcanic ash and loess over till, mixed volcanic ash and

loess over colluvium, colluvium from mixed lithology bedrock

Geomorphic Processes: colluviation and podzolization

Permafrost Status: none

Major Soil Taxa: Pergelic Andic Dystrocryepts, Pergelic Humic Vitricryands, Pergelic

Humicryods,

Detailed Soil Map Units: 9HS1, 9MS2, 9MSA, 9MSH, 9MSH1, 9SA4, 9SA44, 9TM,

9TM3,

9TM4, 9TP, 9TP2, 9V12

131B.L1—Kuskokwim Plain-Eolian Lowlands



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation:
Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northwestern

Life zone: boreal *Elevation:* 153-649 m

Landforms: eolian plains and hills

Vegetation: boreal dwarf needleleaf/ericaceous forest, boreal dwarf

needleleaf/cottongrass woodland, and mixed hardwood forest

Parent Materials: eolian loess and fine sand

Geomorphic Processes: permafrost and cryoturbation

Permafrost Status: continuous

Major Soil Taxa: Typic Historthels, Typic Histoturbels and Typic Haplocryods

Detailed Soil Map Units: 3BG, 3C, 3DH, 3FG, 3FG2, 3FG3, 3FGH, 3FP1, 3FP3, 3FU,

3FU2, 3FU3, 3FU4, 3FW1, 3G, 3H, 3Y

131B.V1—Kuskokwim Plain-Lowland Flood Plains and Terraces



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northwestern

Life zone: boreal *Elevation:* 202-641 m

Landforms: flood plains, terraces and alluvial plains

Vegetation: flood plains-riparian scrub, riparian white spruce/alder forest, boreal mixed forest; terraces and plains-boreal dwarf needleleaf/ericaceous forest,

boreal dwarf needleleaf/cottongrass woodland

Parent Materials: silty alluvium, stratified loamy alluvium, and sandy and gravelly

alluvium

Geomorphic Processes: fluvial processes, permafrost and cryoturbation

Permafrost Status: discontinuous

Major Soil Taxa: Typic Cryofluvents, Oxyaquic Cryorthents, Typic Historthels, Typic

Histoturbels and Typic Haplocryods

Detailed Soil Map Units: 2FG, 2FP2, 2FP3, 2FW2, 2G, 2P, 2ST, 2ST2

131B.V2—Kuskokwim Plain-Minchumina Basin Lowlands



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northwestern

Life zone: boreal *Elevation:* 149-314 m

Landforms: alluvial plains, flood plains, fens, and lakes

Vegetation: flood plains-riparian scrub, riparian mixed forest; alluvial plains-boreal dwarf needleleaf/ericaceous forest, boreal dwarf needleleaf/cottongrass

woodland; fens-sedge wet meadow

Parent Materials: silty alluvium, stratified loamy alluvium

Geomorphic Processes: fluvial processes, permafrost and cryoturbation

Permafrost Status: continuous

Major Soil Taxa: Typic Historthels, Typic Histoturbels, Fluventic Haplorthels, Typic

Cryofluvents, Typic and Terric Cryofibrists

Detailed Soil Map Units: 1FP, 1FP2, 1FP3, 1FP4, 1FW1, 1G, 1ST, 1ST1, 1STW and

1STW2

213B.G1—Cook Inlet Glaciated Lowlands



Climatic Data:

Sub-regional Climate: maritime-continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: southern and southeastern

Life zone: south central boreal

Elevation: 76-972 m

Landforms: till plains, hills and bogs

Vegetation: boreal mixed paper birch-white spruce forest, subalpine alder scrub,

dwarf spruce/ericaceous woodland bog, sphagnum-sedge bog

Parent Materials: volcanic ash and loess over glacial till, organic material

Geomorphic Processes: podzolization, and hydromorphism

Permafrost Status: none

Major Soil Taxa: Andic Humicryods, Andic Haplocryods, Fluvaquentic Cryohemists,

Typic Cryaquands

Detailed Soil Map Units: 12B, 12HS2, and 12HS3

213B.V1—Cook Inlet-Lowland Flood Plains, Terraces, and Fans



Climatic Data:

Sub-regional Climate: maritime-continental

Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: southern and southeastern

Life zone: south central boreal

Elevation: 61-992 m

Landforms: flood plains, stream terraces, and alluvial fans

Vegetation: riparian scrub, riparian black cottonwood forest, riparian mixed

paper birch-

white spruce forest riparian sedge wet

Parent Materials: loamy alluvium, gravelly alluvium, organic material over

variable texture alluvium

Geomorphic Processes: fluvial processes and hydromorphism

Permafrost Status: none

Major Soil Taxa: Typic Cryofluvents, Typic Cryaquents, Terric Cryofibrists, Oxyaquic

Cryorthents

Detailed Soil Map Units: 13AF, 13AF2, 13F21, 13F22, 13FP, 13FP1, 13FP2, 13FPW,

13G

M131C.M1A—Kuskokwim Mountains-Alpine Low Mountains



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northwestern and west central

Life zone: alpine *Elevation:* 197-632 m

Landforms: low mountain summits

Vegetation: alpine scrub and alpine cottongrass tussock Parent Materials: mica-rich loess, schist cryoturbate

Geomorphic Processes: permafrost **Permafrost Status:** continuous

Major Soil Taxa: Typic Histoturbels and Ruptic-Histic Aquiturbels

Detailed Soil Map Units: 4S1

M131C.M1—Kuskokwim Mountains-Boreal Low Mountains



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northwestern and west central

Life zone: boreal Elevation: 178-611 m Landforms: low mountains

Vegetation: boreal spruce forest and dwarf spruce/ericaceous forest


Parent Materials: mica-rich loess, schist colluvium **Geomorphic Processes:** colluviation and permafrost

Permafrost Status: discontinuous

Major Soil Taxa: Typic Historthels and Typic Dystrocryepts

Detailed Soil Map Units: 4BS, 4BSS, 4FS and 4TS

M135C.B1—Alaska Range-Nonvegetated Alpine Mountains



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range north of the hydrographic divide

Life zone: alpine Elevation: 785-6125 m Landforms: mountains Vegetation: nonvegetated


Parent Materials: colluvium of variable lithology

Geomorphic Processes: colluviation

Permafrost Status: none **Major Soil Taxa:** none

Detailed Soil Map Units: 7NV, 5NV, 8NV

M135C.G1—Alaska Range-Interior Glaciated Uplands



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range north of the hydrographic divide

Life zone: alpine *Elevation:* 304-1536 m

Landforms: till plains, outwash plains, and hills

Vegetation: alpine scrub, alpine dwarf scrub, subalpine alder scrub

Parent Materials: thin mantle of loess over till and outwash

Geomorphic Processes: permafrost, podzolization, hydromorphism


Permafrost Status: discontinuous

Major Soil Taxa: Typic Historthels, Typic Histoturbels, Pergelic Haplocryods, Typic

Eutrocryepts, Aquic Eutrocryepts

Detailed Soil Map Units: 7NG, 7NG2, 7NG3, 7P1, 7TP, 7TP2, 7TP8, 7ES, and 7FGA

M135C.G1L—Alaska Range-Interior Glaciated Lowlands



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: east central, central, and west central

Life zone: boreal Elevation: 445-982 m

Landforms: till plains, outwash plains, and hills

Vegetation: boreal white spruce/willow woodland and dwarf spruce/ericaceous

forest

Parent Materials: thin mantle of loess over till and outwash

Geomorphic Processes: permafrost, podzolization, hydromorphism

Permafrost Status: discontinuous

Major Soil Taxa: Typic Historthels, Typic Haplocryods and Typic Cryofibrists

Detailed Soil Map Units: 7HF, 7P2, 7P4, 7P6, 7TP3, 7TP4, 7TP5

M135C.M1—Alaska Range-Alpine Outer Range and Kantishna Hills



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northeast and northcentral

Life zone: alpine *Elevation:* 261-1546 m *Landforms:* mountains

Vegetation: alpine dwarf scrub, alpine scrub, subalpine alder scrub

Parent Materials: colluvium derived from schist, mica rich loess over colluvium

derived from schist

Geomorphic Processes: braunification, colluviation, and permafrost

Permafrost Status: discontinuous

Major Soil Taxa: Pergelic Dystrocryepts, Typic Historthels, Typic Histoturbels, and

Ruptic-Histic Aquiturbels

Detailed Soil Map Units: 5P1, 5SA1, 5SA11, 5SA2, 5TS1, 8LM, 8LM1, 8LMV, 8MBS,

8MFS and 8MS

M135C.M1L—Alaska Range-Boreal Outer Range and Kantishna Hills



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: northeast and northcentral

Life zone: boreal Elevation: 211-1152 m Landforms: mountains

Vegetation: boreal white spruce/willow forest, mixed paper birch-white spruce

forest, dwarf spruce/ericaceous forest

Parent Materials: colluvium derived from schist, mica-rich loess over colluvium

derived from schist

Geomorphic Processes: braunification, hydromorphism, colluviation, and permafrost

Permafrost Status: discontinuous

Major Soil Taxa: Humic Cryaquepts, Typic Dystrocryepts and Typic Historthels **Detailed Soil Map Units:** 5MS21, 5TSF, 8LMF, 8LMVF, 8MFS1, and 8MVF

M135C.M2L—Alaska Range-Interior Boreal Mountains



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range north of the hydrographic divide

Life zone: boreal *Elevation:* 211-1152 m

Landforms: mountain footslopes

Vegetation: white spruce/willow forest and white spruce/alder forest

Parent Materials: loess over colluvium of variable lithology


Geomorphic Processes: colluviation, braunification, hydromorphism and permafrost

Permafrost Status: sporadic

Major Soil Taxa: Aquic Cryumbrepts, Typic Eutrocryepts, and Typic Historthels

Detailed Soil Map Units: 7MS2, 7MS4, and 7V2

M135C.M2—Alaska Range-Interior Alpine Mountains



Climatic Data:

Sub-regional Climate: continental Mean Annual Precipitation: Mean Annual Air Temperature:

Physiographic Description:

Location in Denali: Alaska Range north of the hydrographic divide

Life zone: alpine

Elevation: 517 to 2053 m *Landforms:* mountains

Vegetation: alpine dwarf scrub, alpine scrub, subalpine alder scrub

Parent Materials: colluvium of variable lithology **Geomorphic Processes:** colluviation and braunification

Permafrost Status: sporadic

Major Soil Taxa: Pergelic Eutrocryepts, Pergelic Cryoborolls, Pergelic Humic

Eutrocryepts and Aquic Eutrocryepts

Detailed Soil Map Units: 7CE, 7CEF, 7MFA, 7MS1, 7MS3, 7MS31, 7MSA, 7MSC, 7MSH, 7MSHS, 7SA1, 7SA3, 7SA31, 7SA4, 7TM, 7TM1, 7TM2, 7TMS, 7V1, 7V11, 7V1A,

7V1B, 7V5

Figure 1. Map of Ecological Subsections for Denali National Park and Preserve

